


BOWAY T9 Series automatic Pneumatic EVA/PUR glue binding machine





PUR Glue Binding Effect



Specification :

Model	T9 (EVA)	T9E (PUR)	T9G(EVA-PUR)
Book length	420mm		
Book thickness	58mm		
Speed	300-450 (book/hour)	200-300 (book/hour)	200-300 (book/hour)
Binding way	3 rollers	seal	seal
EVA-PUR Two glue boxes	/	/	automatic switch
2kgs glue box	/	√	√
330g glue can	/	/	√
Clean function	/	/	√
Heat for glue cartridge(330g)	/	/	√
Independent High-power dust absorption	√	/	√
Tidy device	√	/	√
Side Glue System	√	√	√
Eject smoke system	√	/	√
Melt time	about 40 mins	about 25 mins	about 25 mins
Cutter	Milling +Notching knife	specified PUR milling cutters	specified PUR milling cutters
Book clamp	automatical		
Cover clamp	automatical		
Display	7" colorful touch screen		
Clamp adjustment	√		
Open working table	√		
Book table	√		
Collect glue function	√		
hands-proofing device	√		
Working style	pneumatic + electric		
Test book thickness	√		

Feature :

- ◆ Smart control, 7" colorful touch screen, Chinese and English Language support
- ◆ Built-in closed PUR glue system, pressurized sealing tank for glue 2kgs and cartridge 330g (**T9F have only 330g**), both back and side gluing
- ◆ Patented nozzle application structure, easy to clean.
- ◆ Two glue tanks for EVA & PUR(**only T9F,T9G**), easy swift on demand, meanwhile, EVA can be used as cleaner
- ◆ Concerning spare parts be Teflon coated,easy to clean
- ◆ Mute air pump ensures quite operation for office use inductive touch to open the book carriage.
- ◆ Smart control the gluing on two end of book spine, no need trimming after bind
- ◆ Smoke extractor, protect work environment.
- ◆ On-line work with our **Auto-creaser K330C**
Auto read out the thickness of book to crease spine lines and opening lines
(Please click the ending page's
picture fr. **K330C**)
- ◆ Quick book dryer rack
- ◆ Air Pump (**only T9E/T9F/T9G**)
- ◆ New heavy-duty structure
- ◆ The patent of new glue heads design.

- ◆ Independently clean system.
 - ◆ New patent of pneumatic technology.
 - ◆ New patent of sprayer glue system.
 - ◆ New patent of intelligent side glue technology.
 - ◆ Patent of prevent clamping hand technology.
 - ◆ Patent of worktable.
 - ◆ 3 binding mode.
 - ◆ automatic book thickness gauge.
 - ◆ Cleansing facility.
 - ◆ Intelligent control.
 - ◆ Brand new heavy-duty design.
 - ◆ Easy scoring on-line (**Optional Unit : Y8, Creaser Partner : K330C**)
 - ◆ Open flat brand new cover location device.
 - ◆ Adjustable cover clamping station.
 - ◆ Auto-side glue.
 - ◆ Non-glue ends control.
-

Related Products:

Creasing Machine K330C



Model	Feed width (mm)	Feed Length (mm)	Paper Weight (g/m ²)	Speed (Sheet/H)	Feeding System	Display Screen	Single Side Crease	Double Side Crease	Perforate	Data Read	Power Supply	Machine Size (mm)	Net Weight (kg)
K330C	165-320	140-999	80-400	8000	Up and down Suction by Pump	7" Touch Screen	√	√	√	√	AC220V(110V)±10% 50Hz(60Hz) 1800W	1600*630*1150	120

Hangzhou Fuyang Hupu Hansway (Boway) Trading Co., Ltd.

ADD: NO.1216,GONGYUANXI ROAD, JINQIAO INDUSTRIAL PARK FUYANG, HANGZHOU,CHINA

TEL: +86-571-63368676 +86-571-63168822

+86-571-61718035/8036/8980/8981

FAX: +86 20 28819702-25160

E-MAIL:boway@bowaychina.com

WEBSITE:www.bowaychina.com www.fullar.net