

Double Mode Hot Melt Glue Binding Machine 988V3

Fold-able work table

Place sheets, cover, finished book on it .
No need other table During non-work ,
turn over it as cover to protect the machine .



Binding Effect



Max binding thickness : 60mm

Specifications

Supplier	BOWAY www.bowaychina.com
Product Name	Double Mode Hot Melt Glue Binding Machine
Model No.	BW-988V3
Bind Length	440mm
Bind Thickness	60mm
Design work speed	300-450books/hour
Gluing method	Double gluing roller
Side gluing	Yes
Dual mode	Yes
Jogging device	Yes
Smock suction	Yes
Glue melt time	About 40minutes
Milling system	Milling+notching knife
Book clamp	Auto
Cover clamp	Auto
Display	7 inch touch screen
Cover station	Adjustable
Cover table	Open
Work table	Yes
Smart gluing control	Yes
Anti-clipping device	Yes
Drive by	Pneumatic and motor
Auto Measure	Yes
On-line creasing	Optional
Power	AC220V(110V)±10% , 50Hz(60Hz) , 3100W
Size of Machine	1520*650*1160mm
Net weight	280kg

Feature

Double control mode

Meet different binding task, save time, one person operate
Besides about two operation mode, this machine also equipped with side gluing system.

Mode A (One -trip operation) :

clamp book at left side, clamp cover and take finished book at right side

Advantage :

Increase speed at 30-40%

Mode B (Round- trip operation) :

clamp book, clamp cover and take finished book at same side-right

Advantage :

Lower labor strength, two times milling , better result



Besides about two operation mode : Mode A and Mode B
www.bowaychina.com

Open cover station

Easy to place the cover and take book, no limit to the length of cover.

Patent of adjustable cover clamp station

Suitable for different thickness of cover, control spine corner

Fold-able work table

Place sheets, cover, finished book on it. No need other table. During non-work, turn over it as cover to protect the machine.

Auto inner sheets jogging (option)

Auto jogging help makes the job easier and better

Creasing on-line (option)

On-line creasing station, high efficiency, better binding, auto read out the thickness of book.

Smart side gluing technology

Side glue device open self-adaption, protect clamps

Smart control gluing


Smart control the gluing time, avoid unnecessary glue drop




Smart gluing technology

Suitable for different work mode

Newly cover clamping technology

New design of clamp structure, suitable for thinner cover





Contact Us

Hangzhou Fuyang Hupu Hansway (Boway) Trading Co., Ltd.
 ADD: NO.1216,GONGYUANXI ROAD, JINQIAO INDUSTRIAL PARK FUYANG,
 HANGZHOU,CHINA

TEL: +86-571-63368676 +86-571-63168822
 +86-571-61718035/8036/8980/8981
 FAX: +86 20 28819702-25160
 E-MAIL:boway@bowaychina.com
 WEBSITE:www.bowaychina.com www.fullar.net